



The
Patent
Office



INVESTOR IN PEOPLE

09/868665
GB99/04334

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 26 JAN 2000

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 10-01-00

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)




982 184.3

The
Patent
Office

EC98 E413587-1 D00128
P01/7700 0.00 - 9828184.3

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



21 DEC 1998

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

J00041246GB

2. Patent application number

(The Patent Office will fill in this part)

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Bowthorpe Industries Limited
Gatwick Road
Crawley
West Sussex
RH10 2RZ

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

UK

04036704002

4. Title of the invention

IMPROVEMENTS RELATING TO
ELECTRICAL SURGE ARRESTERS

5. Name of your agent (if you have one)

R G C JENKINS & CO
26 Caxton Street
London
SW1H 0RJ

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Patents ADP number (if you know it)

950001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

| | |
|-------------|-------|
| Description | 4 |
| Claim(s) | 2 |
| Abstract | 1 |
| Drawing(s) | 1 + 1 |

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature *R G C Jenkins* Date

R G C JENKINS & CO 21.12.98

12. Name and daytime telephone number of person to contact in the United Kingdom

H L Milhench
R G C JENKINS & CO - 0171 931 7141

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.*
- Write your answers in capital letters using black ink or you may type them.*
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.*
- Once you have filled in the form you must remember to sign and date it.*
- For details of the fee and ways to pay please contact the Patent Office.*

Improvements Relating to Electrical Surge ArrestersField of the Invention:

This invention concerns improvements relating to electric surge
5 arresters, also known as surge diverters, as used in electrical power generation
and distribution systems for the safe handling of atmospherically induced
surges, arising from lightning strikes for example, and over-voltages caused
by switching operations.

Background of the Invention:

10 We pioneered the introduction of polymer housed solid-state
distribution class surge arresters, as disclosed in GB-A-2188199 for example,
and in GB-A-2230661 we proposed the utilization of a series parallel
arrangement of a plurality of such distribution class surge arresters as a station
class surge arrester. Distribution class surge arresters generally have voltage
15 ratings of the order of 24 to 36 kV and by coupling together a plurality of
electrically matched such distribution class surge arresters in a series parallel
arrangement as described in GB-A-2230661 much higher voltage ratings of
the order of 120 to 456 kV can be accommodated.

Our series parallel station class surge arrester is designed to replace the
20 conventional porcelain housed station class arrester and has been widely
acclaimed. The present invention concerns improvements in the construction
of the series parallel arrester.

Summary of the Invention:

Whereas in the series parallel surge arrester described in GB-A-2230661 the individual distribution class surge arresters of adjacent serial stages were offset from each other, the present invention proposes to provide
5 the arrester units in line throughout the series parallel arrangement. Furthermore, whereas in the surge arrester of GB-A-2230661 metal mounting plates formed integrally with corona suppression rings at their peripheries were utilized for interconnecting adjoining stages of the series parallel arrangement, the present invention proposes a more simple and cost effective
10 arrangement employing multiple-limbed brackets (spiders) in place of the mounting plates, the distal ends of the limbs being provided with corona discharge inhibiting surfaces.

The above and further features of the present invention are set forth with particularity in the appended claims and will be well understood from
15 consideration of the following description given with reference to the accompanying drawing.

Description of the Drawing:

The single figure of the accompanying drawing illustrates the upper
(top) end of an exemplary series parallel surge arrester according to the
20 present invention in perspective view.

Detailed Description of the Embodiment:

The series parallel surge arrester shown in the accompanying drawing comprises a plurality of series-connected stages I, II, etc (only the top two of which are shown) each made up of four electrically matched surge arresters 1 which can, for example, be of the kind described in GB-A-2188199 but could be otherwise formed so long as they exhibit sufficient structural integrity. The individual surge arresters 1 in each stage I, II, etc are coupled together and to the adjoining arresters of the next adjacent stage by means of cast metal brackets (spiders) 2 having a plurality of limbs 3 extending from a central body portion 4 with even angular spacing of 90°. As can be seen, the individual surge arresters 1 of the different stages are aligned with each other.

The individual surge arresters 1 have externally screw-threaded end fixing studs 5 which enable the surge arresters to be affixed to the ends of the limbs 3 of the brackets 2, for example by provision of a double and oppositely screw-threaded locking nut at the end of each limb 3 which can be turned with a spanner so as to pull the opposite ends of the respective two surge arresters together and into mounting engagement with the end of the respective limb.

Mounted at the ends of the limbs 3, after attachment of the surge arresters 1, are cast metal corona suppression bodies 6 which can for example form a push fit onto the ends of the limbs 3 with close conformance around the ends of the two surge arresters 1 that are attached to the respective limb. The surfaces of the bodies 6 are smoothly curved as shown to avoid giving

rise to excessive field voltages such as might give rise to corona discharge effects.

At the top end of the series parallel arrangement, a corona suppression arrangement comprising parallel spaced-apart rings 7 and 8 which are coupled
5 to the limbs 3 of the uppermost mounting bracket 2 by means of mounting brackets 9.

The illustrated series parallel surge arrester is believed to satisfy electrical requirements and the mounting brackets 2 and their accessories, namely the corona suppression bodies 6 and the arrester fixing nuts (not
10 shown), can be manufactured at lower cost than the electrostatic mounting plates of the series parallel surge arrester described in GB-A-2230661. Furthermore, by virtue of the in line connection of the surge arresters of adjacent stages, the overall stiffness of the series parallel surge arrester can be increased as compared to that of GB-A-2230661. Otherwise the illustrated
15 surge arrester obtains all of the advantages that are described in GB-A-2230661. Modifications and variations are of course possible without departure from the spirit and scope of the invention as set forth in the appended claims; for example, the brackets 2 could have more or less limbs than the four limbs shown.


Claims:

1. A high voltage surge arrester comprising a plurality of serially connected arrester stages each of which comprises a plurality of electrically
5 matched low voltage surge arresters connected in parallel; the low voltage surge arresters of each stage being connected together and to the surge arresters of the or each next adjacent stage by means of a multiple limbed mounting bracket having corona suppression means at the end of each limb.
- 10 2. A high voltage surge arrester as claimed in claim 1 wherein at the top of the surge arrester the corona suppression means comprises at least one corona suppression ring.
- 15 3. A high voltage surge arrester as claimed in claim 1 or 2 wherein the corona suppression means at the ends of the limbs of the or each said mounting bracket supporting the ends of adjacent serial stages of the arrester comprise individual bodies associated each with a respective one of the limbs.
- 20 4. A high voltage surge arrester as claimed in any of the preceding claims which is adapted for station class operation and wherein the low voltage surge arresters are distribution class surge arresters.

5. A high voltage surge arrester as claimed in any of the preceding claims wherein the low voltage surge arresters are polymer housed solid state surge arresters.
- 5 6. A high voltage surge arrester substantially as herein described with reference to the accompanying drawing.

Abstract of the Disclosure

A high voltage (station class) surge arrester comprises a plurality of serially connected stages and each stage comprises a plurality of low voltage (distribution class) polymer housed solid state surge arresters which are electrically matched. The individual surge arresters of each stage are connected together and to the respective surge arresters of the (or each) adjacent stage by means of cast metal mounting brackets (spiders) having plural equiangularly-spaced limbs to the ends of which the surge arresters are attached. Corona suppression rings are mounted at the top end of the arrester and separate corona suppression components are mounted at the ends of the limbs of the intermediate stages.



PET/GB99104334

21-12-99.

RGC Jenkins & CO